

Chelsea PTO 435 Parts Manual

Pro Gear and Transmission presents Chelsea 435 Series PTO parts manual to assist in identifying the parts for your Chelsea Power Take Off unit.

If you need any assistance identifying the correct Power Take Off unit for your truck and equipment, contact your Chelsea replacement part specialists at Pro Gear and Transmission.

Pro Gear stocks every part for your Parker Chelsea PTO including: PTO housings, mounts, driveshafts, gears, bearings, gaskets, cable shift cover assembly, post and plate assembly, brackets, stud kits, seal kits, lever control assembly, air shift cover assembly, direct mount pump conversion kits, stud kits including English and metric references, CAT D&H parts and much more.

Pro Gear Transmission has same day shipping and 1000's of products in stock and ready to ship internationally for your next project.

For parts or service contact the Chelsea specialists at Pro Gear & Transmission, Inc.

1 (877) 776-4600 (407) 872-1901 parts@eprogear.com

Check Inventory

Email Us

Call Us




CHELSEA® Parts List 435 Series

Bulletin HY25-2435-M1/US

Effective:

December 15, 2006

Supersedes: HY25-2435-M1/US Dated May 15, 2002







 $\textit{FAILURE OR IMPROPER SELECTION OR IMPROPER USE OF THE PRODUCTS AND/OR SYSTEMS DESCRIBED HEREIN OR RELATED ITEMS CAN CAUSE DEATH, PERSONAL INJURY AND PROPERTY DAMAGE. \\$

This document and other information from Parker Hannifin Corporation, its subsidiaries and authorized distributors provide product and/or system options for further investigation by users having technical expertise. It is important that you analyze all aspects of your application and review the information concerning the product or system in the current product catalog. Due to the variety of operating conditions and applications for these products or systems, the user, through its own analysis and testing, is solely responsible for making the final selection of the products and systems and assuring that all performance, safety and warning requirements of the application are met.

The products described herein, including without limitation, product features, specifications, designs, availability and pricing, are subject to change by Parker Hannifin Corporation and its subsidiaries at any time without notice.

Offer of Sale

The items described in this document are hereby offered for sale by Parker Hannifin Corporation, its subsidiaries or its authorized distributors. This offer and its acceptance are governed by the provisions stated in the "Offer of Sale".


© Copyright 2006, Parker Hannifin Corporation, All Rights Reserved

Power Take-Off **435 Series**

Bulletin HY25-2435-M1/US

Contents

Exploded View	. 1
Bill of Materials	. 2
Air Shift	. 3
Gear Chart & Flanges	. 4
Model Number Designation	. 5
Offer of Sale	8




A.R. — As Required

Bill of Materials

1	Item	Part Number	Description Q	uantity
S-P-982	1	1-P-486	Housing	1
S-P-982	2	2-P-560	Output Gear	1
5-P-984 435XUFZX 1 4 9-P-64 Idler Shaft 1 5 14-P-15 Input Gear Spacers AR 8 22-P-24-1 Bearing Cap Gasket (1070") AR 22-P-24-2 Bearing Cap Gasket (1075") AR 10 35-P-8 Shifter Cover Gasket 2 11 86-P-37 Name Plate 1 13 328274X Bearing Cap Assert (1070") 4 14 373831 Lockring 2 15 37842-10 Drive Screw 2 16 37942-11 Hex Capscrew (132-18 x 1.000") 4 17 37943-12 Drive Screw 2 20 550439 Bearing Cone 2 21 550532 Bearing Cone 1 25 32361X Air Shift Air Shift 26 5-A-125 Spacer, Shifter Cover 1 27 378430-10 Hex Capscrew (312-18 x 1.000") 3 33 379430-11 <td< td=""><td></td><td></td><td></td><td></td></td<>				
5-P-986 435XSFZX 1 4 9-P-64 Idler Shaft 1 5 14-P-15 Input Gear Spacers AR 8 22-P-24-1 Bearing Cap Gasket (070") AR 10 35-P-8 Bearing Cap Gasket (020") AR 11 66-P-37 Name Plate 2 11 68-P-37 Name Plate 1 13 328274X Dearing Cap Assembly (Closed End) 1 14 373391 Lockring 2 15 378422 Drive Screw 2 16 373430-10 Hex Capscrew (250"-20x 500") 1 19 550439 Bearing Cone 1 21 550532 Bearing Cone 1 25 32361X Air Shift Cover Assembly (3 & 6) 1 26 5-A-125 Spacer, Shifter Over 1 30 329038-1X Cable Shift 2 23 378430-10 Hex Capscrew (312"-18 x 100") 3 33 37		5-P-952	435XUFSX	1 or
1		5-P-984	435XUFZX	1 or
4 9-P-64 Idler Shaft 1 1 1 1 1 1 1 1 1		5-P-986	435XSFZX	1
14P-15				
14P-15	4	9-P-64	Idler Shaft	1
8 22-P-24-1 Bearing Cap Gasket (.020") AR 10 35-P-8 Bearing Cap Gasket (.020") AR 11 68-P-37 Shifter Cover Gasket 2 11 68-P-37 Name Plate 1 14 378391 Locking 2 15 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 17 378452-7 Set Serew (.250"-20, 500") 1 19 550937 Bearing Cone 2 20 550439 Bearing Cone 1 21 550532 Bearing Cone 2 25 329361X Air Shift Cover Assembly (3 & 6) 1 26 5-A-125 Spacer, Shifter Cover 1 26 5-A-125 Spacer, Shifter Cover 1 30 329038-1X Cable Shift Assembly (3 & 6) 1 32 378430-10 Hex Capscrew (.312"-18 x 1.125") 1 N.S. 379-281 Output Shaft 1 42 28P-216 Oil Seal<				
22-P-24-2 Bearing Cap Casket (0.20")			Bearing Cap Gasket (.010")	A/R
22-P.24-3	· ·			
10				
11	10			
13				
14 378391 Lockring				
15				
16				
17			Hey Canscrew (312"-18 x 1 000")	4
19				
Searing Cone				
21 550532 Bearing Cone				
Air Shift				
25 329361X Air Shift Cover Assembly (3 & 6). 1 26 5-A-125 Spacer, Shifter Cover 1 27 378430-9 Hex Capscrew (.312"-18 x .750") 4 Cable Shift 30 329038-1X Cable Shifter Assembly (3 & 6). 1 32 378430-10 Hex Capscrew (.312"-18 x 1.000") 3 33 378430-11 Hex Capscrew (.312"-18 x 1.125") 1 N.S. 3-P-283 Output Shaft 1 N.S. 3-P-283 Output Shaft 1 N.S. 379673 Shoulder Stud 4 N.S. 379673 Shoulder Stud 4 N.S. 379603 Flat Washer 4 41 3-P-202 Output Shaft 1 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodrulf Key 1 N.S	21	330332	Dealing Corie	1
25 329361X Air Shift Cover Assembly (3 & 6). 1 26 5-A-125 Spacer, Shifter Cover 1 27 378430-9 Hex Capscrew (.312"-18 x .750") 4 Cable Shift 30 329038-1X Cable Shifter Assembly (3 & 6). 1 32 378430-10 Hex Capscrew (.312"-18 x 1.000") 3 33 378430-11 Hex Capscrew (.312"-18 x 1.125") 1 N.S. 3-P-283 Output Shaft 1 N.S. 3-P-283 Output Shaft 1 N.S. 379673 Shoulder Stud 4 N.S. 379673 Shoulder Stud 4 N.S. 379603 Flat Washer 4 41 3-P-202 Output Shaft 1 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodrulf Key 1 N.S			Air Chift	
26 5-A-125 Spacer, Shifter Cover 1 27 378430-9 Hex Capscrew (.312"-18 x .750") 4 30 329038-1X Cable Shift 1 32 378430-10 Hex Capscrew (.312"-18 x 1.000") 3 33 378430-11 Hex Capscrew (.312"-18 x 1.125") 1 N.S. 3-P-283 Output Developed 1 42 28-P-216 Oil Seal 1 N.S. 379673 Shoulder Stud 4 N.S. 379673 Shoulder Stud 4 N.S. 379063 Flat Washer 4 41 3-P-202 Output Dut 0 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 N.S. 3-P-282 Output Shaft 1 42 28-P-219 Oil Seal 1 </td <td>05</td> <td>220261V</td> <td></td> <td>4</td>	05	220261V		4
27 378430-9 Hex Capscrew (.312"-18 x .750") 4 30 329038-1X Cable Shifter Assembly (3 & 6) 1 32 378430-10 Hex Capscrew (.312"-18 x 1.000") 3 33 378430-11 Hex Capscrew (.312"-18 x 1.125") 1 N.S. 3-P-283 Output Shaft 1 42 28-P-216 Oil Seal 1 N.S. 329194X Pump Flange Assembly 1 N.S. 379673 Shoulder Stud 4 N.S. 379063 Flat Washer 4 41 3-P-202 Output Shaft 1 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 N.S. 3-P-282 Output Shaft 1 N.S. 328589X Pump Flange Assembly 1 N.S. 328589X Pump Flange Assembly 1 N.S. 328589X Pump Flange Assembly 1 A 28-P-219 Oil Seal 1 N.S. 32836-11X Gasket & Installation Instructions 1				
Cable Shift				
30 329038-1X	21	376430-9	nex Capscrew (.312 -18 x .750)	4
30 329038-1X			Coble Chift	
32 378430-10 Hex Capscrew (.312"-18 x 1.000")	20	000000 4V		4
N.S. 3-P-283 Output Shaft 1				
N.S. 3-P-283 Output Shaft 1 42 28-P-216 Oil Seal 1 N.S. 379673 Shoulder Stud 4 N.S. 379063 Flat Washer 4 41 3-P-202 Output Shaft 1 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 N.S. 3-P-282 Output Shaft 1 42 28-P-219 Oil Seal 1 N.S. 3-P-282 Output Shaft 1 N.S. 328589X Pump Flange Assembly 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328366-15X Cable Control Parts Bag 1 328346-15X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 378978 12-V Indicator Light 1 378978 17-V Installation Kit 1 378978 11-V				
N.S. 3-P-283 Output Shaft 1 42 28-P-216 Oil Seal 1 N.S. 329194X Pump Flange Assembly 1 N.S. 379673 Shoulder Stud 4 N.S. 379063 Flat Washer 4 41 3-P-202 Output Shaft 1 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 N.S. 3-P-282 Output Shaft 1 VAC Output "XQ" Output 1 N.S. 328589X Pump Flange Assembly 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328346-15X Gasket & Installation Instructions 1 328380X Cable Control Parts Bag 1 328371X Indicator Light Installation Kit 1 378884 9-Amp Fuse Holder 1 378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1	33	3/8430-11	Hex Capscrew (.312"-18 x 1.125")	1
N.S. 3-P-283 Output Shaft 1 42 28-P-216 Oil Seal 1 N.S. 329194X Pump Flange Assembly 1 N.S. 379673 Shoulder Stud 4 N.S. 379063 Flat Washer 4 41 3-P-202 Output Shaft 1 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 N.S. 3-P-282 Output Shaft 1 VAC Output "XQ" Output 1 N.S. 328589X Pump Flange Assembly 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328346-15X Gasket & Installation Instructions 1 328380X Cable Control Parts Bag 1 328371X Indicator Light Installation Kit 1 378884 9-Amp Fuse Holder 1 378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1			(VDI O I - I	
42 28-P-216 Oil Seal 1 N.S. 329194X Pump Flange Assembly 1 N.S. 379673 Shoulder Stud 4 N.S. 379063 Flat Washer 4 "XD" Output "XD" Output Shaft 1 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 "XO" Output "XO" Output Shaft 1 "YO" Output Seal	NO	0.000		
N.S. 329194X Pump Flange Assembly 1 N.S. 379673 Shoulder Stud 4 N.S. 379063 Flat Washer 4 "XD" Output 41 3-P-202 Output Shaft 1 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 N.S. 3-P-282 Output Shaft 1 42 28-P-219 Oil Seal 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328961-1X Gasket & Installation Instructions 1 61 328346-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 3283751X Indicator Light Installation Kit 1 48-P-18 Name Plate 1 37884 9-Amp Fuse Holder 1 <td></td> <td></td> <td></td> <td></td>				
N.S. 379673 Shoulder Stud 4 N.S. 379063 Flat Washer 4 "XD" Output 41 3-P-202 Output Shaft 1 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 "XQ" Output N.S. 3-P-282 Output Shaft 1 42 28-P-219 Oil Seal 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328360 X Cable Control Parts Bag 1 328380X Cable Control Parts Bag 1 328380X Cable Control Parts Bag 1 Agrange Bag 1 1 Amme Plate 1 378884 9-Amp Fuse Holder 1 378884 9-Amp Fuse Holder 1 <td></td> <td></td> <td></td> <td></td>				
N.S. 379063 Flat Washer 4 "XD" Output 41 3-P-202 Output Shaft 1 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 N.S. 3-P-282 Output Shaft 1 42 28-P-219 Oil Seal 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328961-1X Gasket & Installation Instructions 1 Cable Control Assembly 1 Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378894 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 37838-37X Air Shift Installation Kit ("RR" Pump) 1 328711X 1 1 328710-207X 1 1 <td< td=""><td>_</td><td></td><td></td><td></td></td<>	_			
"XD" Output Shaft	_			
41 3-P-202 Output Shaft 1 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 N.S. 3-P-282 Output Shaft 1 42 28-P-219 Oil Seal 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328361-1X Gasket & Installation Instructions 1 61 3283646-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378984 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328711X Air Shift Installation Kit ("XP" Pump) 1 328711X	IV.5.	379063	Fial Washer	4
41 3-P-202 Output Shaft 1 42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 N.S. 3-P-282 Output Shaft 1 42 28-P-219 Oil Seal 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328361-1X Gasket & Installation Instructions 1 61 3283646-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378984 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328711X Air Shift Installation Kit ("XP" Pump) 1 328711X			(IVD) Output	
42 28-P-216 Oil Seal 1 43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 "XQ" Output N.S. 3-P-282 Output Shaft 1 42 28-P-219 Oil Seal 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328961-1X Gasket & Installation Instructions 1 61 328346-15X Cable Control Assembly 1 328380X Cable Control Assembly 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378984 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328711X Installation Kit ("XR" Pump) 1 328711X Installation Kit ("XR" Pump) 1 328170-	44	0.000		
43 328273X Bearing Cap Assembly 1 44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 "XQ" Output "XQ" Output Shaft 1 42 28-P-219 Oil Seal 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS Gasket & Installation Instructions 1 Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378984 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 32837X Air Shift Installation Kit 1 328711X Installation Kit ("XP" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)				
44 378430-10 Hex Capscrew (.312"-18 x 1.000") 4 45 500007-29 Woodruff Key 1 N.S. 3-P-282 Output Shaft 1 42 28-P-219 Oil Seal 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328961-1X Gasket & Installation Instructions 1 61 328346-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1 378389 12-V Indicator Switch Boot 1 32838-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)				
N.S. 3-P-282 Output Shaft 1				
N.S. 3-P-282 Output Shaft 1 42 28-P-219 Oil Seal 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328961-1X Gasket & Installation Instructions 1 61 328346-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378978 12-V Indicator Light 1 378919 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit "XR" Pump) 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)				
N.S. 3-P-282 Output Shaft 1 42 28-P-219 Oil Seal 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 61 328361-1X Gasket & Installation Instructions 1 61 328346-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378984 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 32838-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)	45	500007-29	Woodruff Key	1
N.S. 3-P-282 Output Shaft 1 42 28-P-219 Oil Seal 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 61 328361-1X Gasket & Installation Instructions 1 61 328346-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378984 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)			(VO) O. day d	
42 28-P-219 Oil Seal 1 N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS Gasket & Installation Instructions 1 61 328346-15X Gable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 379884 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)	NIC	0 D 000	l l	
N.S. 328589X Pump Flange Assembly 1 N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328961-1X Gasket & Installation Instructions 1 61 328346-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)	_			
N.S. 378447-8 Allen Head Capscrew 4 LOOSE PARTS 328961-1X Gasket & Installation Instructions 1 61 328346-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)				
LOOSE PARTS 328961-1X Gasket & Installation Instructions 1 61 328346-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)	_			
328961-1X Gasket & Installation Instructions 1 61 328346-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)	N.S.	378447-8	Allen Head Capscrew	4
328961-1X Gasket & Installation Instructions 1 61 328346-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)				
61 328346-15X Cable Control Assembly 1 328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)				
328380X Cable Control Parts Bag 1 328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)				
328751X Indicator Light Installation Kit 1 68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)	61			
68-P-18 Name Plate 1 378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)				
378978 12-V Indicator Light 1 378884 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)				
378884 9-Amp Fuse Holder 1 379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)				
379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)		378978		
379319 Indicator Switch Boot 1 328388-37X Air Shift Installation Kit 1 328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)			9-Amp Fuse Holder	1
328711X Installation Kit ("XR" Pump) 1 328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)		379319	Indicator Switch Boot	1
328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)		328388-37X		
328170-207X Capscrew Bag Kit ("RA", "RB", "RF" Outputs)		328711X	Installation Kit ("XR" Pump)	1
		328170-207X	Capscrew Bag Kit ("RA", "RB", "RF" Outputs)	
		329166-12X		


N.S. — Not Shown



Item	Part Number	Description	Quantity
	329361X	Shifter Cover Assembly, Air Shift (Includes Items 48-57)	
48	34-P-130	Shifter Cover	1
49	378316	Snap Ring	
50	378315	Cover Plug	
51	28-P-42	O-Ring	
52	37-P-21	Shifter Spring	
53	11-P-75	Shaft, Shifter	
54	28-P-41	O-Ring	
55	32-P-180	Shifter Fork	
56	378447-4	Capscrew, Socket Head w/ lockpatch (.312"-18 x .750")	1
57	379639	Indicator Switch (Normally OFF)	1
58	379904	Push Connect, for 1/4" tubing	
59	35-P-8	Gasket, Shifter Cover	
60	378430-9	Capscrew, Hex Head (.312"-18 x .875")	
		Air Shift Conversion Kits	
	328390-105X	Lever to Air 12V	1
	328390-106X	Lever to Air 24V	
	328390-117X	Lever or Cable to Air	1
	328390-119X	Lever or Cable to Electric/Air, 12V	
	328390-120X	Lever or Cable to Electric/Air, 24V	

Pump Flange & Shaft Dimension


		Bolt Holes		FC	FD	FE	FF	FH	Output Shaft	
Pump Flange Suffix	Bolt Circle Dia.	Tapered Hole	No. Equally Spaced	Female Pilot Dia.	Pilot Depth	Face to End of Shaft	Face thru Hole	Face to Center of P.T.O.	Spline Diameter	
RA*, GA	5.75	.500"-13	2tt	4.003	0.406	0.558	2.058	4.588	7/8"-13 Spline	
RB*, GB	5.00	.500"-13	4	4.003	0.406	0.558	2.058	4.588	7/8"-13 Spline	
RF*, GH	5.75	.500"-13	2tt	4.003	0.406	0.501	1.969	4.569	1.0"-15 Spline	
XR*, GR	3.71	.312"-24 (Studs)	4	2.752	0.281	n/a	n/a	2.809	7/8"-13 Spline	
XQ	5.00	.500"-13	4	4.003	0.406	0.562	2.062	3.688	7/8"-13 Spline	
	5.75	.500"-13	2							




Pump Conversion Kits Bill Of Material

				Front				Rear Cap	Greaseab	le Option
Output	Conversion Kits	Output Shaft Number	Output Bearing Cap Assembly	Socket Head	Capscrew Bag Kit	Output Oil Seal	Output Pump Flange	Bearing Cap Assembly	Socket Head	Oil Seal
RA	328591-53X (XR to RA) 328591-55X (XD to RA)	3-P-283	329195X	378447-6	328170-207X	28-P-216	21-P-628			
RB	328591-54X (XR to RB) 328591-56X (XD to RB)	3-P-283	329195X	378447-6	328170-207X	28-P-216	21-P-572			
RF	328591-78X (XD to RF)	3-P-924	329264X	378447-6	328170-207X	28-P-219	21-P-626			
XR	328591-52X (XD to XR)	3-P-283	329194X	379673		28-P-216				
XQ	378591-17X	3-P-282	328589X	378447-8		28-P-282				
GA	328591-72X (XD to GA) 328591-72X (XR to GA) 328591-106X (RA to GA)	3-P-923X	328273X (Rear) 329195X (Output)	378447-6	328170-207X	28-P-268 (Rear) 28-P-216 (Output)	21-P-628	328273X	378430-10	28-P-268
GB	328591-74X (XD to GB) 328591-75X (XR to GB) 328591-107X (RB to GB)	3-P-923X	328273X (Rear) 329195X (Output)	378447-6	328170-207X	28-P-268 (Rear) 28-P-216 (Output)	21-P-572	328273X	378430-10	28-P-268
GH	328591-114X (RF to GH) 328591-116X (XD to GH)		329264X	378447-6	328170-207X	28-P-268 (Rear) 28-P-216 (Output)	21-P-626	328273X	378430-10	28-P-268
GR	328591-76X (XD to GR)	3-P-923X	328273X (Rear) 329194X (Output)	379673		28-P-268 (Rear) 2-P-216 (Output)		328273X	378430-10	28-P-268

Model Number Designation





Notes

Notes

The items described in this document and other documents or descriptions provided by Parker Hannifin Corporation, its subsidiaries and its authorized distributors are hereby offered for sale at prices to be established by Parker Hannifin Corporation, its subsidiaries and its authorized distributors. This offer and its acceptance by any customer ("Buyer") shall be governed by all of the following Terms and Conditions. Buyer's order for any such items, when communicated to Parker Hannifin Corporation, its subsidiary or an authorized distributor ("Seller") verbally or in writing, shall constitute acceptance of this offer.

- 1. Terms and Conditions of Sale: All descriptions, quotations, proposals, offers, acknowledgments, acceptances and sales of Seller's products are subject to and shall be governed exclusively by the terms and conditions stated herein. Buyer's acceptance of any offer to sell is limited to these terms and conditions. Any terms or conditions in addition to, or inconsistent with those stated herein, proposed by Buyer in any acceptance of an offer by Seller, are hereby objected to. No such additional, different or inconsistent terms and conditions shall become part of the contract between Buyer and Seller unless expressly accepted in writing by Seller. Seller's acceptance of any offer to purchase by Buyer is expressly conditional upon Buyer's assent to all the terms and conditions stated herein, including any terms in addition to, or inconsistent with those contained in Buyer's offer, Acceptance of Seller's products shall in all events constitute such assent.
- 2. Payment: Payment shall be made by Buyer net 30 days from the date of delivery of the items purchased hereunder. Amounts not timely paid shall bear interest at the maximum rate permitted by law for each month or portion thereof that the Buyer is late in making payment. Any claims by Buyer for omissions or shortages in a shipment shall be waived unless Seller receives notice thereof within 30 days after Buyer's receipt of the shipment.
- **3. Delivery:** Unless otherwise provided on the face hereof, delivery shall be made F.O.B. Seller's plant. Regardless of the method of delivery, however, risk of loss shall pass to Buyer upon Seller's delivery to a carrier. Any delivery dates shown are approximate only and Seller shall have no liability for any delays in delivery.
- **4. Warranty:** Seller warrants that the items sold hereunder shall be free from defects in material or workmanship for a period of:
- (A) All Power Take-Off units one (1) year from date of installation.
- (B) Except 267, 277, 278, 242, 244, 246, 250, 251 and 859 series two (2) years from date of installation. THIS WARRANTY COMPRISES THE SOLE AND ENTIRE WARRANTY PERTAINING TO ITEMS PROVIDED HEREUNDER. SELLER MAKES NO OTHER WARRANTY, GUARANTEE, OR REPRESENTATION OF ANY KIND WHATSOEVER. ALL OTHER WARRANTIES, INCLUDING BUT NOT LIMITED TO, MERCHANTABILITY AND FITNESS FOR PURPOSE, WHETHER EXPRESS, IMPLIED, OR ARISING BY OPERATION OF LAW, TRADE USAGE, OR COURSE OF DEALING ARE HEREBY DISCLAIMED. NOTWITHSTANDING THE FOREGOING, THERE ARE NO WARRANTIES WHATSOEVER ON ITEMS BUILT OR ACQUIRED WHOLLY OR PARTIALLY, TO BUYER'S DESIGNS OR SPECIFICATIONS.
- 5. Limitation of Remedy: SELLER'S LIABILITY ARISING FROM OR IN ANY WAY CONNECTED WITH THE ITEMS SOLD OR THIS CONTRACT SHALL BE LIMITED EXCLUSIVELY TO REPAIR OR REPLACEMENT OF THE ITEMS SOLD OR REFUND OF THE PURCHASE PRICE PAID BY BUYER, AT SELLER'S SOLE OPTION. IN NO EVENT SHALL SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES OF ANY KIND OR NATURE WHATSOEVER, INCLUDING BUT NOT LIMITED TO LOST PROFITS ARISING FROM OR IN ANY WAY CONNECTED WITH THIS AGREEMENT OR ITEMS SOLD HEREUNDER, WHETHER ALLEGED TO ARISE FROM BREACH OF CONTRACT, EXPRESS OR IMPLIED WARRANTY, OR IN TORT, INCLUDING WITHOUT LIMITATION, NEGLIGENCE, FAILURE TO WARN OR STRICT LIABILITY.
- **6. Changes, Reschedules and Cancellations:** Buyer may request to modify the designs or specifications for the items sold hereunder as well as the quantities and delivery dates thereof, or may request to cancel all or part of this order, however, no such requested modification or cancellation shall become part of the contract between Buyer and Seller unless accepted by Seller in a written amendment to this Agreement. Acceptance of any such requested modification or cancellation shall be at Seller's discretion, and shall be upon such terms and conditions as Seller may require.
- 7. Special Tooling: A tooling charge may be imposed for any special tooling, including without limitation, dies, fixtures, molds and patterns, acquired to manufacture items sold pursuant to this contract. Such special tooling shall be and remain Seller's property notwithstanding payment of any charges by Buyer. In no event will Buyer acquire any interest in apparatus belonging to Seller which is utilized in the manufacture of the items sold hereunder, even if such apparatus has been specially converted or adapted for such manufacture and notwithstanding any charges paid by Buyer. Unless otherwise agreed, Seller shall

have the right to alter, discard or otherwise dispose of any special tooling or other property in its sole discretion at any time.

- 8. Buyer's Property: Any designs, tools, patterns, materials, drawings, confidential information or equipment furnished by Buyer or any other items which become Buyer's property, may be considered obsolete and may be destroyed by Seller after two (2) consecutive years have elapsed without Buyer placing an order for the items which are manufactured using such property, Seller shall not be responsible for any loss or damage to such property while it is in Seller's possession or control.
- 9. Taxes: Unless otherwise indicated on the face hereof, all prices and charges are exclusive of excise, sales, use, property, occupational or like taxes which may be imposed by any taxing authority upon the manufacture, sale or delivery of the items sold hereunder. If any such taxes must be paid by Seller or if Seller is liable for the collection of such tax, the amount thereof shall be in addition to the amounts for the items sold. Buyer agrees to pay all such taxes or to reimburse Seller therefore upon receipt of its invoice. If Buyer claims exemption from any sales, use or other tax imposed by any taxing authority, Buyer shall save Seller harmless from and against any such tax, together with any interest or penalties thereon which may be assessed if the items are held to be taxable.
- 10. Indemnity For Infringement of Intellectual Property Rights: Seller shall have no liability for infringement of any patents, trademarks, copyrights, trade dress, trade secrets or similar rights except as provided in this Part 10. Seller will defend and indemnify Buyer against allegations of infringement of U.S. Patents, U.S. Trademarks, copyrights, trade dress and trade secrets (hereinafter 'Intellectual Property Rights'). Seller will defend at its expense and will pay the cost of any settlement or damages awarded in an action brought against Buyer based on an allegation that an item sold pursuant to this contract infringes the Intellectual Property Rights of a third party. Seller's obligation to defend and indemnify Buyer is contingent on Buyer notifying Seller within ten (10) days after Buyer becomes aware of such allegations of infringement, and Seller having sole control over the defense of any allegations or actions including all negotiations for settlement or compromise. If an item sold hereunder is subject to a claim that it infringes the Intellectual Property Rights of a third party, Seller may, at its sole expense and option, procure for Buyer the right to continue using said item, replace or modify said item so as to make it noninfringing, or offer to accept return of said item and return the purchase price less a reasonable allowance for depreciation. Notwithstanding the foregoing, Seller shall have no liability for claims of infringement based on information provided by Buyer, or directed to items delivered hereunder for which the designs are specified in whole or part by Buyer, or infringements resulting from the modification, combination or use in a system of any item sold hereunder. The foregoing provisions of this Part 10 shall constitute Seller's sole and exclusive liability and Buyer's sole and exclusive remedy for infringement of Intellectual Property Rights.

If a claim is based on information provided by Buyer or if the design for an item delivered hereunder is specified in whole or in part by Buyer, Buyer shall defend and indemnify Seller for all costs, expenses or judgments resulting from any claim that such item infringes any patent, trademark, copyright, trade dress, trade secret or any similar right.

- 11. Force Majeure: Seller does not assume the risk of and shall not be liable for delay or failure to perform any of Seller's obligations by reason of circumstances beyond the reasonable control of Seller (hereinafter 'Events of Force Majeure'). Events of Force Majeure shall include without limitation, accidents, acts of God, strikes or labor disputes, acts, laws, rules or regulations of any government or government agency, fires, floods, delays or failures in delivery of carriers or suppliers, shortages of materials and any other cause beyond Seller's control.
- 12. Entire Agreement/Governing Law: The terms and conditions set forth herein, together with any amendments, modifications and any different terms or conditions expressly accepted by Seller in writing, shall constitute the entire Agreement concerning the items sold, and there are no oral or other representations or agreements which pertain there/to. This Agreement shall be governed in all respects by the law of the State of Ohio. No actions arising out of the sale of the items sold hereunder or this Agreement may be brought by either party more than two (2) years after the cause of action accrues.

1/06-P



Parker Hannifin Corporation Chelsea Products Division 8225 Hacks Cross Road Olive Branch, Mississippi 38654 USA

Tel: (662) 895-1011 Fax: (662) 895-1019 www.parker.com/chelsea

TG 12/06